Product data sheet
Characteristics

CP12036LI
APC Back-UPS Connect, Back-UPS Connect, to protect internet routers, IP cameras and more



Main

Main Input Voltage	12 V DC 1 phase
Product or component type	Power supply
Output voltage	12 V DC 1 phase
Battery type	Li-Ion (Lithium-Ion)
Range of product	Back-UPS Connect

Complementary

Number of tare power	2 W
Mounting mode	Plug-in

Batteries & Runtime

Battery recharge time	9 H

Physical

Colour	White
Width	99 Mm
Depth	109 Mm
Net weight	0.3 Kg
Mounting mode	Not rack-mountable
Height	25 Mm

Output

Maximum configurable power in W	36 W
Output voltage	12 V

Conformance

Product certifications	CE
Standards	CE EN/IEC 61000-4-8 EN/IEC 61000-4-2 EN/IEC 62368-1

Environmental

Ambient air temperature for operation	0…40 °C
Relative humidity	0…95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-10…50 °C
Storage altitude	0…5000 M
IP degree of protection	< IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.300 Cm
Package 1 Width	11.500 Cm
Package 1 Length	16.300 Cm
Package 1 Weight	366.000 G
Unit Type of Package 2	S02
Number of Units in Package 2	10
Package 2 Height	15.000 Cm
Package 2 Width	30.000 Cm
Package 2 Length	40.000 Cm
Package 2 Weight	3.900 Kg
SCC14	10731304632396
Pallet unit layers	6
Pallet layers	4

Offer Sustainability

Recyclability potential, in %	33
Total lifecycle Carbon footprint	186 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	172
Carbon footprint of the manufacturing phase [A1 to A3]	172 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.593
Carbon footprint of the distribution phase [A4]	0.6 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.294
Carbon footprint of the installation phase [A5]	0.3 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	11.2
Carbon footprint of the use phase [B2, B3, B4, B6]	11 kg CO2 eq.
Mercury free	Yes
Sustainable packaging	No
Carbon footprint of the end-of-life phase [C1 to C4]	1.67
Carbon footprint of the end-of-life phase [C1 to C4]	2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile
Total lifecycle Carbon footprint	186
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	73b1309a-d65b-4414-9fb4-d80a65253bd6
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
EU RoHS Directive	Compliant By Exemption
Removable battery	Yes
Take-back	Yes
WEEE Label	The product must be disposed on European Union markets following specific waste collection and

Contractual warranty

Warranty (in months)	24

Product Life Status :	Commercialised