Product data sheet
Characteristics

SRT192RMBP
APC Smart-UPS On-Line SRT External Battery Pack, 3U Rack, 192Vdc



Main

Product or component type	External battery pack
Battery type	Lead-acid battery
Provided equipment	Installation guide Warranty card Rack mounting brackets
Range of product	Smart-UPS Battery Systems
Mounting mode	Rack-mounted
Two post mountable	1
Number of rack unit	3U
Standards	OSHPD

Batteries & Runtime

Device mounting	Stand alone battery stack
Battery life	3…5 Year(S)
Battery voltage	192 V
Battery capacity	10 Ah
Number of battery filled slots	0
Number of battery free slots	0
Number of battery replacement quantity	2
Battery power in VAh	1920 VAh

Physical

Colour	Black
Height	130 Mm
Width	432 Mm
Depth	682.7 Mm
Net weight	91 Kg

Environmental

Relative humidity	0…95 % non-condensing
Storage Relative Humidity	0…95 % non-condensing
Ambient air temperature for storage	-15…45 °C
Ambient air temperature for operation	0…40 °C
Operating altitude	0...10000 ft
Storage altitude	0…15240 M

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	43.000 Cm
Package 1 Width	60.000 Cm
Package 1 Length	98.000 Cm
Package 1 Weight	102 Kg
Unit Type of Package 2	PAM
Number of Units in Package 2	2
Package 2 Height	57.000 Cm
Package 2 Width	100.000 Cm
Package 2 Length	120.000 Cm
Package 2 Weight	460.000 Kg

Offer Sustainability

Total lifecycle Carbon footprint	483 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	390.3084236453
Carbon footprint of the manufacturing phase [A1 to A3]	390 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	26.1546453202
Carbon footprint of the distribution phase [A4]	26 kg CO2 eq.
Carbon footprint of the installation phase [A5]	29.6751231527
Carbon footprint of the installation phase [A5]	30 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Mercury free	Yes
Sustainable packaging	No
Carbon footprint of the end-of-life phase [C1 to C4]	36.9416305419
Carbon footprint of the end-of-life phase [C1 to C4]	37 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile
Total lifecycle Carbon footprint	483
Average percentage of recycled plastic content	15 %
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	488c31fb-3af8-42cf-9558-1362d000a07e
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
EU RoHS Directive	Compliant By Exemption
End of life manual availability	End Of Life Information
Removable battery	User replaceable
Take-back	Yes
WEEE Label	The product must be disposed on European Union markets following specific waste collection and

Contractual warranty

Warranty (in months)	24

Product Life Status :	Commercialised